

PRECAUTIONARY STATEMENTS

May cause moderate eye irritation. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

Personal Protective Equipment: Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

If Swallowed: Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

GENERAL INFORMATION

AirLink is a drift reduction and deposition management tool that is designed to adjust and then maintain solution droplet formation for the best spray pattern that will hit the target and stay there.

AirLink reduces both rebound runoff and diffusion away from the intended surface and significantly improves delivery of the active ingredient.

Field conditions, the active ingredient, and equipment specifications can vary the degree of drift hazard. **AirLink** will significantly reduce drift but not eliminate it.

Wind tunnel testing has shown that when CP™1TTT type nozzles are used with **AirLink** in aerial spraying, a more uniform droplet size range is generated that will enhance the delivery of the active ingredient throughout the layers of the canopy.

AirLink is compatible with a wide range of pesticides including glyphosate, 2,4-D, sulfonylureas (SU) and similar active ingredients.

AirLink adjusts the spray pattern by modifying the internal structure of the droplets and does not change viscosity during the spray procedure.

DIRECTIONS FOR USE

NOT FOR AQUATIC USE

Always follow the directions on the most restrictive tank mix active ingredient label.

Use only if a deposition aid and drift reduction agent are allowed or not excluded on the label.

AirLink may be applied through direct injection systems when pumped with proper

amount of water. Do not pre-mix with emulsifiable concentrates or aqueous solutions.

AirLink does NOT contain ammonium sulfate (AMS).

NOTE: When combining new or unfamiliar components in any tank mix, the applicator should conduct phytotoxicity and jar tests to ensure compatibility and avoid damage to non-targeted species.

Order of addition

In general, follow the W-A-L-E-S plan when adding herbicides to a tank mix.

1. Wettable Powders (WP) then Flowables (F, DF)
2. Agitate then add anti-foaming compounds, buffers
3. Liquid and Soluble products
4. Emulsifiable concentrates (EC)
5. **AirLink** or other adjuvants

Prior to mixing you should fill your spray tank with half of the carrier you intend to use, usually water. Then start the sprayer and check to make sure that all valves and gauges work and that you have proper tank agitation.

APPLICATION RATES

Aerial and Ground Spraying	Suggested Rates Per Acre
Herbicides	4 – 6 ounces of AirLink

NOTE: Do not exceed 1% v/v of the spray solution.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product. For optimal storage, store between 40° and 90° F.

Disposal: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

The DIRECTIONS FOR USE of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of CROP SMART, LLC, or the Seller. All such risks shall be assumed by the Buyer. CROP SMART, LLC, and the Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. NEITHER CROP SMART, LLC OR SELLER MAKE ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE.